PROTECTING THOSE WHO SERVE

Ŧ

THE BLAST GAUGE SYSTEM

BLAST TRAUMATIC BRAIN INJURY: AN OCCUPATIONAL HAZARD

Traumatic brain injury (TBI) from an explosive blast remains a significant problem for military and law enforcement personnel exposed to harmful levels of blast shockwaves, especially those involved in operations and training. A blast shockwave can cause a series of complex mechanical and physical reactions in the brain. Mild to moderate TBI may be difficult to detect immediately post event, with cognitive or motor deficits manifesting weeks or months later. Additionally, scientific studies have linked repetitive overpressure exposure to structural changes in the brain, increased risk of PTSD, acceleration of age-associated neurological disorders, and concussion symptoms, highlighting the need for individualized blast surveillance similar to radiation badge programs. Because it is not practical to provide protection from the occupational hazard of blast shockwaves, monitoring and documenting exposure to identify individuals at risk for TBI is paramount.

COS MANAGE LONGSALONIN

THE BLAST GAUGE SYSTEM

THE **BLAST GAUGE**

THE SOLUTION FOR **MILITARY & LAW ENFORCEMENT**



IMPROVE TACTICS, TECHNIQUES, AND PROCEDURES

Minimize exposures and preserve performance

GUIDE TRIAGE

Securely interrogate wirelessly or via button push, aiding quick decision making

BLAST EXPOSURE TO AID IN TREATMENT

Blast overpressure, acceleration, and body loading data for detailed event analysis

WIRELESS

Optional wireless connectivity to an Android handheld to download blast information to user-friendly app

RELIABLE BATTERY Non-rechargeable battery designed for military extremes, lasts a full deployment and minimizes logistics

ROBUST Fully encapsulated design withstands weather and blast

FLEXIBLE MOUNTING Easily attaches to helmets, gear, structures, and vehicles

SECURE Operator privacy protected

BATTLE-TESTED Fielded by the U.S. Military





SAFER TRAINING & DRILLS

KNOW YOUR SAFE DISTANCE

• Ensure appropriate Minimum Safe Distance for your stack

MEASURE FLASHBANG SHOCKWAVES

• Deploy flashbangs with confidence by knowing overpressure levels based on size and configuration of room

MAP YOUR ENVIRONMENT

• Locate the best places to stand in a room during an explosive breach and entry

MONITOR REPETITIVE EXPOSURE FROM WEAPONS

• Track overpressure exposure from artillery, mortar, shoulder fired weapons, and small arms fire on operators



TRIAGE WIRELESSLY OR WITH A BUTTON PUSH

MAINTAIN YOUR UNIT'S PEAK PERFORMANCE

and subsequent wellness



CONTROL LIABILITY

REDUCE PROPERTY DAMAGE CLAIMS

 Monitor a breach or controlled destination in a civilian locale to ensure it didn't cause shockwave damage

PROTECT YOUR OPERATORS


- Reduce exposures to mitigate long-term implications of the occupation
- measures documenting occupational exposure



weapon systems

survivability, and lethality related to explosives, protective materials, vehicles, and

ENVIRONMENTAL MAPPING



Ostertag, M. H., Kenyon, M., Borkholder, D. A., Lee, G., Silva, U. D., & Kamimori, G. (2013). The Blast Gauge[™] System as a Research Tool to Quantify Blast Overpressure in Complex Environments, Volume 3A: Biomedical and Biotechnology Engineering. doi:10.1115

*The standard K-equation MSD calculation stated 11.5ft as a safe distance, yet using the Blast Gauge to map the room shows actual exposure levels at this distance are above the 4.0psi standard for breaching.


Instantly assist the trauma team in guiding triage with objective blast exposure data

• Track personnel to identify those at-risk and proactively manage the level of exposure

• Ensure operators get evaluated for the long-term care they deserve with objective

INEXPENSIVE AND EASY-TO-USE TOOL anyone can use for research into vulnerability,

ACCURATE CAPTURE OF BLAST OVERPRESSURE: BLAST GAUGE SYSTEM VS. PENCIL PROBE



THE **BLAST GAUGE** SYSTEM





BLASTGAUGE.COM

Copyright ©2020 BlackBox Biometrics, Inc. All Rights Reserved.

v.1.0.4 Digital CAGE CODE: 6G3L8 NSN: 6665-01-665-8243



